



## CONCRETE RESURFACING



If you are considering the use of concrete resurfacing products you are making a value conscious decision about utilising a quality product as your concrete surface coating.

People are often confused by the many names this process carries in the industry, however, Cover Crete, Flo Crete, Style Pave, On Crete, Spray Stencil, Spray Crete, Enviro Crete are all brand names representing essentially the same product, a cement based polymer infused concrete resurfacing compound that can achieve beautiful and colourful designs for your concrete surface. If pre specified, we are happy to use your specified product, however we recommend and offer the CCS Style Pave range otherwise for its premium performance and established market leadership.

The process of deciding what look to go for, can often confuse many people, this brochure should not only assist with that but offer you insights into the various patterns and colour schemes available and possibly inspire you into creating your own personalised looking finish.

When first considering the product and comparing against alternative solutions, it is best for you to be aware of its benefits & limitations.

Our concrete resurfacing compounds cure to amazingly high strengths making it amongst the most durable of surfaces available.

1 Day - Up to 28 MPA

3 Days - Up to 45 MPA

28 Days - Up to 79 MPA

In comparison most concrete surfaces only achieve about 25MPa strength. It offers great savings over removing concrete and reinstalling concrete. You have a wide variety of colours and patterns to choose from and it creates one of the best looking and most durable concrete surfaces available in the market.

However this incredible strength is only as useful as the surface underneath supporting it. It will mimic what the surface underneath is doing and if separated from the concrete surface will be quite weak on its own.



So you've decided to get your concrete resurfaced, let us help guide you through the questions you now face.




➔ **STEP 1:** Deciding on whether to have a pattern or not?

If you decide not to have a pattern all you really need to do is select a colour and consider whether you may want a fleck across the surface of another colour, you can view the available colours on page 5. If you want more continue below.



➔ **STEP 2:** Do you want a fleck?

A fleck is a low cost option to bring a little more prestige to your surface over just having a straight colour. A fleck can often not be seen and certainly not appreciated from far away and thus why its most popular in foot traffic areas such as patios and pool surrounds.



➔ **STEP 3: Do you want a pattern?**


If you are after a basic stencil look there are many options but one of the most popular looks is the modern large tile design, this is free taped to size to suit you.




Alternatively there are many more traditional patterns that come on manufactured rolls. A full range of available patterns can be found on page 4.



Alternatively you can look to do an ultra modern look and create abstract patterning to suit your tastes. One of the more popular looks is the 3 colour random geotextile shapes design



Other modern alternatives with more simplistic styles are possible too



➔ **STEP 4:** Do you want any borders, features or coloured grout lines?

Borders, features and coloured grout lines can be used on otherwise straight coloured jobs with no patterns or in conjunction with patterned surface, they do add to the cost of the project but can set your works apart from those around you or help make a statement to people visiting your premises.



➔ **STEP 5:** What sort of texture do you need, do you want anti slip?

You generally have to two options, the grainy finish for traction or the Orange Peel effect for a slightly smoother feel and effect. It can be done to a varying extent. The Fine Grain finish really suits steep slopes and around pools. Traction additives can also be added to the clear sealer on finish also to help control slip resistance, talk to your contractor if these aspects are of concern for you.

Orange Peel



Fine Grain



**STEP 6:** What repairs need to be undertaken and what sealer do you want to use to finish it?

Concrete resurfacing is purely cosmetic, if a surface needs or could do with repairs, they need to be undertaken prior to the decorative application. This includes, cracks, divots, re-levelling, etc. These processes do add to the cost of a project but can also add significant value to the finished product. However, it does not suit everyone's position to always necessarily make all repairs or even any that can be made and careful consideration of the cost vs benefits should be made on a case by case basis. Its best to talk to us if you are interested in the extent of repairs to be undertaken on your project.



Cracks can be repaired, as can most things. Repairs do offer greater chances for success than otherwise but can never be guaranteed and have varying success job to job.


























# Colour palette for the Stylepave concrete overlay system

					
<b>Pale Eucalypt</b>	<b>Sandy Beige</b>	<b>Silver Birch</b>	<b>Coral</b>	<b>Natural</b>	<b>Shale</b>
					
<b>Olive</b>	<b>Egg Shell</b>	<b>Fraser</b>	<b>Turcan Zest</b>	<b>Off White</b>	<b>Blue Mountain</b>
					
<b>Byron Blue</b>	<b>Wheat Field</b>	<b>Riverland</b>	<b>Terracotta</b>	<b>Ocean Sand</b>	<b>Midnight Blue</b>
					
<b>Plum</b>	<b>Safety Yellow</b>	<b>Fossil</b>	<b>Red Planet</b>	<b>Almond</b>	<b>Coal</b>
					
<b>Grey Anethyt</b>	<b>Desert Archer</b>	<b>Truffle</b>	<b>Pebble</b>	<b>Oatmeal</b>	<b>Graphite</b>

**COLOR SWATCH GUIDELINES:** CCS Stylepave Reinforcing is created by hand troweling or spraying through a hopper gun, on site, under varying weather and job conditions. Due to changes in viscosity and surface texture, variations in colour when compared with the above swatches should be expected. For people unfamiliar with the finished product, we recommend that you view jobs already completed by your decorative contractor to gain an understanding of the appearance. Please consult with the CCS sales team or [www.concretecoloursystems.com.au](http://www.concretecoloursystems.com.au) for project specifications.


# CCS STENCIL DESIGNS

 <b>HERRINGBONE</b> Brick Size 200x125mm Stencil Width 800mm	 <b>FLANDERS WEAWE</b> Brick Size 200x125mm Stencil Width 820mm	 <b>BASKET WEAWE</b> Brick Size 225x125mm Stencil Width 800mm	 <b>EUROPEAN FAN</b> Stencil Width 700mm	 <b>TILE 270</b> Tile Size 270x225mm Stencil Width 800mm
 <b>COBBLE BRICK</b> Brick Size 140x225mm Stencil Width 820mm	 <b>RUNNING BOND</b> Brick Size 102x125mm Stencil Width 820mm	 <b>BUSHROCK</b> Stencil Width 800mm	 <b>TILE 225</b> Tile Size 225x225mm Stencil Width 870mm	 <b>MEDITERRANEAN TILE</b> Large Tile 640x400mm Stencil Width 840mm
 <b>PAVER BRICK</b> Brick Size 120x225mm Stencil Width 800mm	 <b>REGAL PAVER 400</b> Paver Size 400x125mm Stencil Width 800mm	 <b>CUT STONE</b> Brick Size 200x125mm (A) Stencil Width 800mm	 <b>OCTAGON TILE</b> Tile Size 225x225mm Stencil Width 870mm	 <b>COBBLESTONE</b> Brick Size 102x140mm (A) Stencil Width 800mm
 <b>RANDOM BLUE STONE</b> Brick Size 125x125mm (A) Stencil Width 820mm	 <b>SOLDIER COURSE COBBLE</b> Brick Size 125x125mm Stencil Width 224mm	 <b>SOLDIER COURSE BUSH ROCK</b> Stencil Width 270mm	 <b>COBBLE BRICK CIRCLE</b> 1.6m	 <b>STAR COMPASS</b> 1.6m
 <b>SOLDIER COURSE BRICK</b> Brick Size 125x125mm Stencil Width 224mm	 <b>TILE HEADER COURSE</b> Tile Size 100x225mm Stencil Width 120mm		 <b>BRICK CIRCLE</b> ØA 1.6, 2.2m	





























## STENCIL PATTERN SELECTIONS




Any Size



**Filament Tiles**

 <b>Block</b> Brick Size 300 x 150mm	 <b>Rustic Brick</b> Au Brick Size 250 x 140mm	 <b>Mediterranean</b> Rectangle 112 x 118mm	 <b>Convict Brick</b> Au Brick Size 240 x 237mm
 <b>Brick</b> Brick Size 225 x 125mm	 <b>Bushrock</b> Au Brick Size 230 x 225mm	 <b>Classic Herringbone</b> Au Brick Size 180 x 90mm	 <b>10" Diamond Tile</b> Tile Size 262 x 262mm, Diamond Size 100 x 100mm
 <b>European Fan</b> Au Brick Size 120 x 100mm	 <b>Basket Weave</b> Brick Size 180 x 90mm	 <b>8" Quarry Tile</b> Tile Size 180 x 180mm	 <b>Large Tile</b> Tile Size 264 x 264mm
 <b>Ashlar Slate</b> Au Brick Size 227 x 125mm	 <b>Flagstone</b> Au Brick Size 250 x 180mm	 <b>Keystone</b> Au Brick Size 222 x 120mm	 <b>Antique Tile</b> Tile Size 254 x 254mm
 <b>Regal Tile</b> Tile Size 267 x 138mm	 <b>Random Bluestone</b> Au Brick Size 127 x 140mm	 <b>English Cobble</b> Au Brick Size 300 x 100mm	 <b>Cobblestone</b> Au Brick Size 235 x 125mm
 <b>Cobble Rosette</b> Diameter 1.0m Au Brick Size 150 x 75mm	 <b>Star Compass</b> Diameter 1.0m (R,S,L,W Letters Available)	 <b>Rosette</b> Diameter 0.2m/1.0m/2.2m	 <b>Keystone Header</b> Au Brick Size 180 x 100mm
 <b>Edge Brick Header</b> Brick Size 225 x 125mm	 <b>Cobble Header</b> Brick Size 190 x 120mm	 <b>Brick Header Course (Soldier Course)</b> Au Brick Size 185mm x 125mm	 <b>Large Tile Header</b> Brick Size 260 x 260mm

Create Your Own



**hylepave**  
Exquisite concrete overlays

**CREATIVE CONCRETE CONSTRUCTIONS**

Creative Concrete Constructions Pty Ltd  
PO Box 4876, Springfield QLD 4300  
ABN 49 120 020 439 – Licence No: 1109935  
Telephone: 3470 5230 – Mob: 0404 859 045  
Or 1300CREATOR (1300 273 286)  
Email: [nathan@creativeconcreteconstructions.com.au](mailto:nathan@creativeconcreteconstructions.com.au)

Please note: the range of stencils stocked will vary by location. Please contact your nearest store for stencil & colour availability.

(Au) = sizes within the stencil pattern may vary, therefore the average size is an indication only.